

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria. Virginia 22313-1450 www.usplo.gov

DATE MAILED: 08/17/2006

APPLICATION NO.	F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/707,634	12/26/2003		Carles Borrego Bel	8134ES	1633	
23688	7590	08/17/2006		EXAMINER		
Bruce E. Harang PO BOX 872735				CARPIO, IVAN HERNAN		
VANCOUVER, WA 98687-2735				ART UNIT PAPER NUM		
	 ,			2841		

Please find below and/or attached an Office communication concerning this application or proceeding.

SUPPLEMENTAL

Notice of Allowability

Application No.	Applicant(s)	
10/707,634	BORREGO BEL ET AL.	
Examiner	Art Unit	
Ivan H. Carpio	2841	

	Ivan H. Carpio	2841			
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIPORT of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to 3/13/06. 2. The allowed claim(s) is/are 1,3 and 5-11.	(OR REMAINS) CLOSED in this apport of the communication GHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS		
3. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complex of the priority documents have a pri	been received. been received in Application No cuments have been received in this of this communication to file a reply	national stage applica			
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.					
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal F 6. ☑ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te ment/Comment			

Supplemental

Application/Control Number: 10/707,634

Art Unit: 2841

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Bruce Harang on 08/10/06.

The application has been amended as follows:

Claim 5 [Cancelled Currently Amended] A printed circuit Bboard according to claim 1, characterized in that said conduits comprise several a plurality of cavities (13) placed all positioned in a direction that is substantially parallel to said electrically insulating layer (11), at least one of the ends of each one of said plurality of cavities (13) opening into an a plurality of corresponding openings (14) located on at least one edge (19) of the metal substrate (10), whose each of said plurality of openings (14) is being coupled with s span of a pipe(20 17) for said heat-carrying fluid, forming a heat transfer area extending upward into said heat transfer area medium.

Allowable Subject Matter

Claims 1,3,4,5 -11 are allowed.

The following is an examiner's statement of reasons for allowance as indicated in the paper mailed 6/14/06: With regards to independent claim 1, Tsuji (US 6158232)

Page 2

Art Unit: 2841

discloses a printed circuit board having a metal substrate with an integrated cooling system comprising a metal substrate with a heat transporting cavity and having an opening at one edge with conduit for transporting a heat carrying fluid to the outside of the metal substrate, Tsuji does not disclose that the conduit for a heat-carrying fluid extends, by way of the opening, to the outside and upward from the metal substrate forming a sealed heat transfer area in an external heat transfer medium, as in the claimed invention. Furthermore there is no evidence in the prior art making the combination obvious.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ivan H. Carpio whose telephone number is 571-272-8396. The examiner can normally be reached on M-R 6:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kammie Cuneo can be reached on 571-272-1957. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/707,634 Page 4

Art Unit: 2841

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

IC

Kamand Cureo SPE 2841